

CALIFORNIA DEPARTMENT OF CONSERVATION CALIFORNIA GEOLOGICAL SURVEY

www.conservation.ca.gov

Map Release

April 8, 2005

RGM NO. 4

GEOLOGIC MAP OF THE LAKE TAHOE BASIN. CALIFORNIA AND NEVADA, 1:100,000 SCALE

Compiled by George J. Saucedo

Digitized by Jason D. Little, Sarah E. Watkins, Jennifer R. Davis, Marina T. Mascorro, Victoria D. Walker, and Eric W. Ford

The Geologic Map of the Lake Tahoe Basin, California and Nevada is the fourth map completed as part of the California Geological Survey's 1:100,000 scale Regional Geologic Map Series. The map was compiled and digitized from existing published and unpublished geologic maps covering the area between latitudes 38° 37' 30" and 39° 22' 30" north and 119° 52' 30" and 120° 15' 00" west longitude. The geologic map is superimposed on a shaded-relief image, which depicts the bathymetry of the lake bottom as well as the topography of the basin uplands. A pamphlet containing a geologic summary, description and correlation of map units, sources of mapping, and references is also included.

> Price....\$20.00 Shipping/handling.....\$4.00

(Check, money order or credit card must be included with order.)

1. FOR MAIL ORDERS:

California Geological Survey Publications Sales 1059 Vine Street, Suite 103 Sacramento, CA 95814-0321

2. FOR CREDIT CARD ORDERS:

Fax: (916) 324-5644 Phone: (916) 445-6199

3. CGS RGM 4:

is available for reference at CGS offices listed below.

Gary Taylor Senior Geologist

Public Information Office, 801 K Street, 14th Floor, MS 14-34, Sacramento, CA 95814-3532, (916) 445-5716. Southern California Regional Office, 655 South Hope Street, Suite 700, Los Angeles, CA 90017-3211, (213) 239-0878. Bay Area Regional Office, 185 Berry Street, Suite 210, San Francisco, CA 94107-1728, (415) 904-7707.

52'30" 19"22' NF

GEOLOGIC MAP OF THE LAKE TAHOE BASIN CALIFORNIA AND NEVADA

Compiled by George J. Saucedo

Digitized by Jason D. Little, Sarah E. Watkins, Jennifer R. Davis, Marina T. Mascorro, Victoria D. Walker and Eric W. Ford

2005

DESCRIPTION OF MAP UNITS
(See pamphlet for more detailed unit descriptions)

Granitic rocks

Artificial fill (late Holocene) Beach deposits (Holocene) Flood-plain deposits (Holocene) Talus deposits (Holocene) Lake deposits (Holocene) Younger glacial depoxits (Holocene) Colluvium (Holocene) Landslide deposits (Holocene and Pleistocene) Alluvium (Holocene and Pleistocene) Alluvial fan deposits (Holocene and Pleistocene) Mudflow deposits (Holocene and (or) Pleistocene) Older beach deposits (Pleistocene) Older lake deposits (Pleistocene) TE AF Lacustrine terrace deposits (Pleistocene) Tioga glacial deposits (Pleistocene) pre-Tahoe deposits (Pleistocene) Glacial deposits undivided (Pleistocene and Holocene?) Bald Mountain olivine latite of Birkeland (1961) (Pleistocene) Ovbmcc - cinder cone deposits Juniper Flat alluvium of Birkeland (1961) (Pleistocene) Prosser Creek alluvium of Birkeland (1961) (Pleistocene) Hirschdale olivine latite of Birkeland (1961) (Pleistocene) Ovhec - cinder cone deposits: Ovht - basaltic tuff Older talus deposits (Pliocene and (or) Pleistocene) Dry Lake volcanic flows of Birkeland (1961); Wise and Sylvester (2004) (Pliocene and (or) Pleistocene) - QPvdl - QPvd4 (oldest to youngest) Big Chief basalt of Birkeland (1961) (Pliocene and (or) Pleistocene) Page Meadow basalt of Wise and Sylvester (2004) (Pliocene and (or) Pleistocene)

Unnamed gravels, sand and alluvium (Pliocene and (or) Pleistocene) Burton Creek basalt of Wise and Sylvester (2004) (Pliocene and (or) Pleistocene.

Lake Forest basalt of Wise and Sylvester (2004) (Pliocene and (or)

med volcanic and intrusive rocks (Pliocene and (or) Pleistocene)

Aplite and pegmatite dikes (Cretaceous) Echo Lake granodiorite (Cretaccous) Phipps Pass granodiorite (Cretaceous) Bryan Meadow granodiorite (Cretaceous) Lovers Leap granodiorite (Cretaceous) Glen Alpine granodiorite (Cretaceous) Tyler Lake granodiorite (Cretaceous) Wrights Lake granodiorite (Cretaceous) Dicks Lake granodiorite (Cretaceous) Alaskite at Rubicon Point (Cretaccous) Valley granodiorite (Cretaceous) of Waterhouse Peak (Cretaceous) of Grass Lake (Cretaccous) ite of Kingsbury Grade (Cretaceous) Tonalite West of Waterhouse Peak (Cretaceous) Granodiorite of East Peak (Cretaceous) Monzogranite of Spooner Summit of Grose (1985) (Cretaceous) Granodierite of Thornburg Canyon (Cretaceous) Granodierite of Charity Valley (Cretaceous) Diorite of Caples Lake (Cretaceous) Granodiorite of Caples Lake (Cretaceous) Freel Peak granodiorite (Cretaceous) Burnside Lake adamellite of Parker (1961) (Cretacous) Granodiorite of Daggett Pass (Cretaceous)

Carson Pass tonalite of Parker (1961) (Cretaceous)

Granudiorite of Faith Valley (Cretaceous)

Kaga Quartz monzodiorite north of Daggett Pass (Cretaccous?)

Ktum Keiths Dome quartz monzonite (Cretaceoux or Jurassie!)

Unnamed granitic rocks of the Sierra Nevada batholith Granite and granodiorite, undivided (Cretaceous)

Kdy Desolation Valley granodiorite (Cretaceous or Jurassic?)

Kklg Granodiorite of Kinney Lakes (Cretaceous)

Basalt dikes (Cretaceous)

Breccia pipe (Cretaceous?)

Ebbetts Pass granodiorite of Wilshire (1957) (Cretaceous)